Notice to Service:

Please identify the physician providing Quality Assurance oversight to your individual service. If your service provides Defibrillation, Epi-Pen,, Blood Glucometry, Albuterol or Advance Life Support (ALS), you must have specific approval from your Regional EMS Council's Medical Advisory Committee (REMAC) and oversight by a NY state licensed physician. If you change your level of care to a higher ALS level, you must provide the NYS DOH Bureau of EMS a copy of your REMAC's written approval notice.

If your service wishes to change to a lower level of care, provide written notice of the change and the level of care to be provided, and the effective date of implementation, to your REMAC with a copy to the NYS DOH Bureau of EMS.

If your service has more than one Service Medical Director, please use copies of this verification and indicate which of your operations or REMAC approvals apply to the oversight provided by each physician. Please send this form to your DOH EMS Area Office for filing with your service records.

Check all special regional approvals and the single highest level of care applicable to your service:
☐ Defibrillation / PAD ☐ Epi Pen ☐ Albuterol ☐ Blood Glucometry (Epi / Albuterol / Blood Glucometry per regional protocol)
☐ AEMT− Paramedic ☐ AEMT− Critical Care ☐ AEMT− Intermediate ☐ Controlled Substances Level of Care Level of Care Level of Care (BNE License on file)
Please Type or Print Legibly:
Name of EMS Service:
Agency Code Number: Service Type: \square Amb \square ALSFR \square BLSFR
Name of Service CEO:
Name of Service Medical Director:
NYS Physician's License Number:
Ambulance/ALSFR Service Controlled Substance License # if Applicable: 03C
Ambulance/ALSFR Service Controlled Substance License Expiration Date:
Medical Director Affirmation of Compliance:
I affirm that I am the Physician Medical Director for the above listed EMS service. I am responsible for oversight of the pre-hospital Quality Assurance/Quality Improvement program for this service. This includes medical oversight on a regular and on-going basis, in-service training and review of service policies that are directly related to medical care. I am familiar with applicable State and Regional Emergency Medical Advisory Committee treatment protocols, policies and applicable state regulations concerning the level of care provided by this service. If the service I provide oversight to is not certified and provides AED level care, the service has
filed a Notice of Intent to Provide Public Access Defibrillation (DOH-4135) and a completed Collaborative Agreement with its Regional EMS Council.
Signature – Service Medical Director:
Date of Signature:
DOH-4362 (04/08) MedDirAffirm Rev 4.0 4/2008